L Number	Hits	Search Text	DB	Time stamp
-	18	(("3113643") or ("3421604") or ("3442356") or ("3868001") or ("3912051") or ("3998466") or ("4530423") or ("5022500") or ("5660253") or ("5700067") or ("5713435") or ("5845747") or ("6000506") or ("6026938") or ("6044936") or ("6073733") or ("6135245") or ("6454056")).PN.	USPAT; US-PGPUB	2004/11/05 13:29
-	2	(("6116585") or ("6648309")).PN.	USPAT; US-PGPUB	2004/11/05 14:21
-	1		USPAT	2004/11/05 13:31
-	1		USPAT	2004/11/05 13:32
-	1		USPAT	2004/11/05 13:32
-	1		USPAT	2004/11/05 13:32
-	1		USPAT	2004/11/05 13:33
-	1		USPAT	2004/11/05 13:33
-	1		USPAT	2004/11/05 13:33
-	1		USPAT	2004/11/05 13:34
-	1		USPAT	2004/11/05 13:54
-	1		USPAT	2004/11/05 13:54
-	1		USPAT	2004/11/05 13:55
-	1		USPAT	2004/11/05 13:55
-	1		USPAT	2004/11/05 13:56
-	1		USPAT	2004/11/05 13:56
-	15845	ring near3 seal$3 and (slop$3 or conical or ramp$2) and (nipple or valve or nozzle)	USPAT	2004/11/05 14:27
-	17267	ring near3 (seal$3 or lock$3) and (slop$3 or conical or ramp$2) and (nipple or valve or nozzle)	USPAT	2004/11/05 14:50
-	738	(ring near3 (seal$3 or lock$3) and (slop$3 or conical or ramp$2) and (nipple or valve or nozzle)) and (188/$.ccls. or 267/$.ccls. or 303/$.ccls. or 403/$.ccls.)	USPAT	2004/11/05 15:18
-	700	((ring near3 (seal$3 or lock$3) and (slop$3 or conical or ramp$2) and (nipple or valve or nozzle)) and (188/$.ccls. or 267/$.ccls. or 303/$.ccls. or 403/$.ccls.)) and (fluid or liquid or air or gas)	USPAT	2004/11/05 14:29
-	137	(((ring near3 (seal$3 or lock$3) and (slop$3 or conical or ramp$2) and (nipple or valve or nozzle)) and (188/$.ccls. or 267/$.ccls. or 303/$.ccls. or 403/$.ccls.)) and (fluid or liquid or air or gas)) and ring with (slop$3 or conical or ramp$2)	USPAT	2004/11/05 14:32
-	82	(((ring near3 (seal$3 or lock$3) and (slop$3 or conical or ramp$2) and (nipple or valve or nozzle)) and (188/$.ccls. or 267/$.ccls. or 303/$.ccls. or 403/$.ccls.)) and (fluid or liquid or air or gas)) and ring near6 (slop$3 or conical or ramp$2)	USPAT	2004/11/05 14:32

C:\APPS\east\workspaces\default.wsp

–	22576	ring near3 (seal$3 or lock$3 or snap$1) and (slop$3 or conical or ramp$2) and (fitting or valve or nozzle)	USPAT	2004/11/05 15:09
–	141	303/87.ccls.	USPAT	2004/11/05 14:53
–	4655	ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting or valve or nozzle)	USPAT	2004/11/05 17:14
–	1199	(ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting or valve or nozzle)) and ring near5 (radial$2 or expand$3 or relaxed) and ring near5 (bore or groove)	USPAT	2004/11/05 17:15
–	82	((ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting or valve or nozzle)) and ring near5 (radial$2 or expand$3 or relaxed) and ring near5 (bore or groove)) and (188/$.ccls. or 267/$.ccls. or 303/$.ccls. or 403/$.ccls.)	USPAT	2004/11/05 17:13
–	394	188/315.ccls.	USPAT	2004/11/05 15:50
–	90	188/322.21.ccls.	USPAT	2004/11/05 15:51
–	467	188/322.21.ccls. or 188/315.ccls.	USPAT	2004/11/05 16:08
–	27	3945663.uref.	USPAT	2004/11/05 16:08
–	1636	138/30-31.ccls.	USPAT	2004/11/05 16:34
–	141	303/87.ccls.	USPAT	2004/11/05 16:38
–	329	267/64.28.ccls.	USPAT	2004/11/05 16:56
–	231	((ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting or valve or nozzle)) and ring near5 (radial$2 or expand$3 or relaxed) and ring near5 (bore or groove)) and (285/$.ccls.)	USPAT	2004/11/05 17:16
–	5923	ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting$1 or valve$1 or nozzle$1 or coupling$1)	USPAT	2004/11/05 17:17
–	1532	(ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting$1 or valve$1 or nozzle$1 or coupling$1)) and ring near5 (radial$2 or expand$3 or relaxed) and ring near5 (bore or groove)	USPAT	2004/11/05 17:16
–	322	((ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting$1 or valve$1 or nozzle$1 or coupling$1)) and ring near5 (radial$2 or expand$3 or relaxed) and ring near5 (bore or groove)) and 285/$.ccls.	USPAT	2004/11/05 17:16

C:\APPS\east\workspaces\default.wsp

| | | 178 | (((ring near3 (seal$3 or lock$3 or snap$1 or secur$3) and (slop$3 or conical or ramp$2 or convex or concave or angled) near6 ring and (fitting$1 or valve$1 or nozzle$1 or coupling$1)) and ring near5 (radial$2 or expand$3 or relaxed) and ring near5 (bore or groove)) and 285/$.ccls.) and (ring$1 or seal$1 or fitting$1 or valve$1 or nozzle$1 or coupling$1).ti. | USPAT | 2004/11/05 17:17 |